DATE

DATE

**EDUCATOR'S NAME** 

PASS / FAIL



## Skills Modules 3.0 Checklist: Enteral Tube Feeding Administering Enteral Nutrition

**INSTRUCTIONS:** Use the following checklist to evaluate competency in completing this skill. Select Satisfactory (S) or Unsatisfactory (U) for each step and provide comments as needed.

\*Document the relevant information (amount of insulin, injection site, and client assessment) in the client's medical record.

## Beginning Steps

STEP	S	U	EVALUATOR'S COMMENTS
*Provide privacy as needed.			
*Introduce yourself to the client.			
*Perform hand hygiene and put on appropriate PPE if indicated.			
*Verify client identification.			
*Determine whether the client has allergies.			
*Provide client education.			
Verify the provider's prescription, and check the expirat date on the formula.	tion		

Copyright ©2022 Assessment Technologies Institute, L.L.C. All rights reserved. This resource is copyright protected material of ATI and is provided for use solely under license by ATI. Copying, distributing, or posting this material on the internet or social media is strictly prohibited. Posting on institution LMS requires ATI's prior written permission.

PAGE 1

STEP		S	U	<b>EVALUATOR'S COMMENTS</b>
Elevate client's head of	f bed to 30 to 45 degrees			
Using two methods, co	nfirm tube placement.			
Flush tube with 30 to 5	0 mL of water.			
Disinfect the top of for	mula can prior to opening.			
Administering	via Syringe			
STEP		S	U	EVALUATOR'S COMMENTS
Remove plunger from :	syringe.			
Pinch the feeding tube the port.	prior to inserting the syringe into	0		
Pour formula into syrin until prescribed amour	ge, allowing it to drain by gravity nt is administered.	,		
Flush tube with amoun	t of water as per policy.			
Clamp tubing and cove	er with end cap.			

PAGE 2

## Administering via Feeding Bag

STEP	S	U	EVALUATOR'S COMMENTS
Fill bag with prescribed amount of formula and fill flush bag if provided.			
Prime feeding bag.			
Connect feeding bag to feeding tube port.			
Administer feeding at the prescribed rate via a feeding pump or by adjusting the regulating clamp on the bag.			
Concluding Steps			
STEP	S	U	EVALUATOR'S COMMENTS
Remove gloves and perform hand hygiene.			
Have client remain on the right side slightly upright or in Fowler's position for 30 min after feedings.			
*Ensure that the client has the call light within reach.			

## References

Berman, A., Snyder, S., & Frandsen, G. (2016). Kozier & Erb's fundamentals of nursing: Concepts, process, and practice (10th ed.). Upper Saddle River, NJ: Prentice-Hall, pp. 1160-1161.

Lynn, P. (2019). Taylor's clinical nursing skills (5th ed.) Philadelphia: Wolters Kluwer, pp. 651-657.

Perry, A.G., Potter, P.A., & Ostendorf, W.R. (2018). *Clinical nursing skills & techniques* (9th ed.) St. Louis, MO: Elsevier, pp. 852-857.

Taylor, C., Lynn, P. & Bartlett, J. (2019). Fundamentals of nursing (9th ed.). Philadelphia: Wolters Kluwer. pp. 1324-1328

PAGE 3